## EAST SEARCH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S72	188	(select\$4 choos\$4) near5 message near3 download\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 16:53
S73	9	(select\$4 choos\$4) near5 message near3 download\$ same notification	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 16:49
S74	9	(select\$4 choos\$4) with message near3 download\$ same notification	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 16:49
S75	22	(select\$4 choos\$4) with message with download\$ same notification	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	.2005/10/27 16:49
S76	13	S75 not S74	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 16:53
S77	0	select\$4 near2 which near2 message near3 download	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 16:53
S78	0	select\$4 near2 which near2 message with download	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 16:53
S79	111	(select\$4 choos\$4) near5 message near3 download\$ and (@ad<"20001220" or @rlad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 16:54
S80	111	(select\$4 choos\$4) near5 message near3 download\$ and (@ad<"20001220" or @rlad<"20001220") not nokia.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	ON	2005/10/27 16:54
S81	2	(select\$4 choos\$4) near5 message near3 download\$ same notif\$6 and (@ad<"20001220" or @rlad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 16:55
S82	5	(select\$4 choos\$4) near5 (message email e-mail mail) near3 download\$ same notif\$6 and (@ad<"20001220" or @rlad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 16:56

S83	12	(select\$4 choos\$4) near5 (message email e-mail mail) with download\$ same notif\$6 and (@ad<"20001220" or @rlad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 16:58
S84	7	S83 not S82	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 16:56
S85	1	(decid\$4) near5 (message email e-mail mail) with download\$ same notif\$6 and (@ad<"20001220" or @rlad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR ·	ON	2005/10/27 16:59
S86	1399	(select\$4 choose\$4 decid\$4) near5 (message email e-mail mail) same notif\$6 and (@ad<"20001220" or @rlad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 16:59
S87	394	(select\$4 choose\$4 decid\$4) near5 (message email e-mail mail) with receiv\$4 same notif\$6 and (@ad<"20001220" or @rlad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 16:59
S88	274	(select\$4 choose\$4 decid\$4) near3 (message email e-mail mail) with receiv\$4 same notif\$6 and (@ad<"20001220" or @rlad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 16:59
S89	48	(select\$4 choose\$4 decid\$4) near3 (message email e-mail mail) with receiv\$4 same notif\$6 and (@ad<"20001220" or @rlad<"20001220") and "709". clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:00
S90	33	(select\$4 choose\$4 decid\$4) near3 (message email e-mail mail) with receiv\$4 same notif\$6 and (@ad<"20001220") and "709". clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:06
S91	11	(select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with filter\$4 same notif\$6 and (@ad<"20001220") and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:09
S92	4	(select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with filter\$4 with notif\$6 and (@ad<"20001220") and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:10

S93	163	(select\$4 choose\$4 decid\$4	US-PGPUB;	OR	ON	2005/10/27 17:10
	200	request\$) near3 (message email e-mail mail) with notif\$6 and (@ad<"20001220") and "709". clas.	USPAT; EPO; JPO; IBM_TDB			
S94	0	(select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with notif\$6 with limit\$6 and (@ad<"20001220") and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:12
S95	. 0	(select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with notif\$6 with (restrict\$4 reduce reduced reducing) and (@ad<"20001220") and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:13
S96	79	(select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with (restrict\$4 reduce reduced reducing) and (@ad<"20001220") and "709". clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:13
S97	1	(select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with (restrict\$4 reduce reduced reducing) same notif\$6 and (@ad<"20001220") and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:14
S98	1	(select\$4 choose\$4 decid\$4 request\$) near3 (message email e-mail mail) with (restrict\$4 reduce reduced reducing narrow\$4) same notif\$6 and (@ad<"20001220") and "709". clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:14
S99	108	(message email e-mail mail) with (limit\$6 restrict\$4 reduce reduced reducing narrow\$3) same notif\$6 and (@ad<"20001220") and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:15
S10 0	108	(message email e-mail mail) with (limit\$6 restrict\$4 reduce reduced reducing narrow\$3) same notif\$6 and notif\$6 and (@ad<"20001220") and "709". clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:15
S10 1	40	(message email e-mail mail) with (limit\$6 restrict\$4 reduce reduced reducing narrow\$3) with notif\$6 and (@ad<"20001220") and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:16

S10 2	14	(message email e-mail mail) with filter\$4 with notif\$6 and (@ad<"20001220") and "709". clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:36
S10 3	5	(download\$4) with (message email e-mail mail) with received with notif\$6 and (@ad<"20001220") and "709". clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:37
S10 4	0	(message email e-mail mail) same ("not" adj received) with notif\$6 and (@ad<"20001220") and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:38
S10 5	0	(message email e-mail mail) same ("not" adj received) with notif\$6 and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:38
S10 6		(message email e-mail mail) same ("not" adj received) and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:38
S10 7	0	(message email e-mail mail) same ("not" near4 received) and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:38
S10 8	22	(message email e-mail mail) same (has near4 received) and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:39
S10 9	0	(message email e-mail mail) same (has near4 received) same notif\$6 and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:38
S11 0	451	(message email e-mail mail) same (still near4 received) and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:40
S11 1	28	(message email e-mail mail) same (still near4 received) same notif\$6 and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:43
S11 2	0	(message email e-mail mail) same ('not' near4 received) same notif\$6 and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:42
S11 3	1657268	'not'	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:42

S11 4	0	'not' near received	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:42
S11 5	1	'not' with received	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:42
S11 6	1862	(message email e-mail mail) same (received) with notif\$6 and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 17:43
S11 7	14	(message email e-mail mail) same (received) same ((filter\$4) with already with (received notif\$6)) and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 16:52
S11 8	14	(message email e-mail mail) same (received) same ((filter\$4) with (notif\$6)) and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 17:21
S11 9	737	notif\$6 with new with (message email e-mail mail) and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 17:22
S12 0	161	notif\$6 with new with (message email e-mail mail) with receiv\$4 and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 17:22
S12 1	71	notif\$6 with new adj (message email e-mail mail) with receiv\$4 and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 17:23
S12 2	0	notif\$6 with only adj new adj (message email e-mail mail) with receiv\$4 and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	ON	2005/10/28 17:23
S12 3	. 3	notif\$6 with only with new adj (message email e-mail mail) with receiv\$4 and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 17:23
S12 4	67	notif\$6 with new adj (message email e-mail) with receiv\$4 and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 17:24
S12 5	14	notif\$6 with new adj (email e-mail) with receiv\$4 and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 17:29

S12 6	5	download\$5 with new adj (email e-mail) with receiv\$4 and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 17:31
S12 7	11	check\$3 with new adj (email e-mail) with receiv\$4 and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 17:53
S12 8	52	check\$3 with new adj (email e-mail) and (@ad<"20001220")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 17:53
S12 9	41	S128 not S127	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 17:57
S13 0	1	"6400810".pn. and new	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 17:57